



# CERTIFICATE OF ACCREDITATION

**The ANSI National Accreditation Board**

Hereby attests that

**Industrial Research Institute  
Lebanese University Campus, IRI Building,  
Hadath (Baabda)  
Beirut, Lebanon 11-2806**

Fulfills the requirements of

**ISO/IEC 17020:2012**

In the field of

**INSPECTION**

This certificate is valid only when accompanied by a current scope of accreditation document.  
The current scope of accreditation can be verified at [www.anab.org](http://www.anab.org).

A handwritten signature in black ink, appearing to read 'R. Douglas Leonard Jr.', is positioned above a horizontal line.

R. Douglas Leonard Jr., VP, PILR SBU

Expiry Date: 29 August 2023

Certificate Number: AI-2499



An inspection body's fulfilment of the requirements of ISO/IEC 17020:2012 means the inspection body meets both the technical competence requirements and management system requirements that are necessary for it to consistently deliver technically valid inspection results (refer to joint ISO-ILAC-IAF Communiqué dated Sept 2013).

**SCOPE OF ACCREDITATION TO ISO/IEC 17020:2012**

**Industrial Research Institute**

Lebanese University Campus, IRI Building, Hadath (Baabda)  
Beirut, Lebanon 11-2806

Robert Haddad + 961-546-7831 ext. 230

[www.iri.org.lb](http://www.iri.org.lb) [info@iri.org.lb](mailto:info@iri.org.lb) and [quality@iri.org.lb](mailto:quality@iri.org.lb)

**INSPECTION  
TYPE A INSPECTION BODY**

Valid to: **August 29, 2023**

Certificate Number: **AI-2499**

**Imported Products**

Items, Materials OR Products Inspected	Type and Range of Inspection	Methods and Procedures
Electrical Appliances Food Ceramic Tile Sanitary Wares Oil Cosmetic Glass Diapers Notebook Medical Items Solar Water Heaters Fire Extinguishers Gas Cylinders Boilers	Qualitative and /or Quantitative  Inspection of New Products	Internal Procedures: PR/CFM/03 IT/CFM/04 IMP/CFM <sub>e</sub> /01 to 04 IMP/CFM <sub>h</sub> /01 to 32 IMP/CFM <sub>s</sub> /02 to 03 IMP/CFM <sub>n</sub> /01 to 03 IMP/CFM <sub>r</sub> /01 to 07 Customer-Provided Inspection Requirements

Note:

1. This scope is formatted as part of a single document including Certificate of Accreditation No. AI-2499.



R. Douglas Leonard Jr., VP, PILR SBU